


TEST SCHEDULE B 23	EN 1993-1-1: 2005 (EUROCODE 3)	Sargon ©, Cescoplus ©
BUCKLING	COMPRESSION + BENDING 2	EC3.BUC.NNM2.003



Program: WEURO © version October 2007 for Sargon and Cescoplus
Keywords: EN 1993, Eurocode 3, example, validation, benchmark, reliability, quality control, error measure. **Parole chiave:** Eurocodice 3, esempio, validazione, test, affidabilità, controllo di qualità, misura dell'errore
Tv=exploitation target value, **Cv**=exploitation computed value
Authors: Ing. Marco Croci, Ing. Paolo Rugarli

BEAM			
Length [mm]	Buckling factors	Left end	Right end
3500	$\beta_1=0 \quad \beta_2=1 \quad \beta_3=1$	SIMPLY SUPPORTED	HINGE

LOAD			
Type	Value	Point of application	
COMPRESSION	N=2.400.000N	LEFT END	
Type	Value	Point of application	
BENDING MOMENT M_2	M=180.000.000Nmm	LEFT END	
BENDING MOMENT M_2	M=-180.000.000Nmm	RIGHT END	

MATERIAL	S235					
f_y [N/mm ²]	f_u [N/mm ²]	E [N/mm ²]	ν	γ_{M0}	γ_{M1}	γ_{M2}
235	360	2,10E+05	0,3	1,1	1,1	1,25

CROSS-SECTION	HE 300 M	CLASS: N → 1 M₂ → 1 N + M₂ → 1 (reclasses method****)			
A [mm ²]	J ₂ [mm ⁴]	J ₃ [mm ⁴]	J _t [mm ⁴]	W ₂ [mm ³]	W ₃ [mm ³]
30308	5,920E+08	1,940E+08	1,408E+07	3,482E+06	1,252E+06
W _{pl2} [mm ³]	W _{pl3} [mm ³]	i ₂ [mm]	i ₃ [mm]	i _t [mm]	
4,078E+06	1,913E+06	139,8	80	89,49	
h	b	t _w	t _f	r	
340	310	21	39	27	

OTHER DATA*				
	k_{yy}	k_{yz}	k_{zy}	k_{zz}
Method 1	0,965	/	0,520	/
Method 2	1,025	/	0,615	/

TARGET VALUES BASED ON PRELIMINAR COMPUTATIONS

$$\left. \begin{aligned} Tv_{1,j} &= N / (\chi_2 A f_y / \gamma_{M1}) + k_{yy} M_2 / (\chi_{LT} W_{pl2} f_y / \gamma_{M1}) \\ Tv_{2,j} &= N / (\chi_3 A f_y / \gamma_{M1}) + k_{zy} M_2 / (W_{pl2} f_y / \gamma_{M1}) \end{aligned} \right\} Tv_{method j} = \max(Tv_{1,j}, Tv_{2,j})$$

Tv _{method1} **	Tv _{method2} ***
5,791E-01	5,915E-01

CHECKER'S RESULTS (COMPUTED VALUES) AND COMPARISON WITH THE TARGET

Cv _{method1}	(Cv ₁ -Tv ₁)/Tv ₁	Cv _{method2}	(Cv ₂ -Tv ₂)/Tv ₂
5,791E-01	1,184E-05	5,915E-01	-2,071E-05

(*) formulae given in EN 1993-1-1 6.3.3, annex A and annex B

(**) more accurated

(***) easier to use

(****) P. Rugarli, *Strutture in acciaio, La classificazione delle sezioni, Commento all'Eurocodice 3*, EPC Libri, 2007

Copyright © 2007 Castalia srl – Milan – Italy – All rights reserved: data may be used but citing the source and informing Castalia srl.

<http://www.castaliaweb.com>
staff@castaliaweb.com